



LoRaWAN  
Security solutions

# LoRaWAN Security solutions

## WHAT IS A SECURE ELEMENT?

A secure element is a tiny chip able to perform cryptography primitives such as AES, SHA and ECC, and to keep secret keys safely hidden from the outside world. Unlike ordinary MCUs and memories, it is very robust against physical attacks and cannot be read or counterfeited.

Secure elements come programmed and personalized with unique IDs and secret keys, and are able to interface with its host MCU via an I<sup>2</sup>C, a 1-Wire or an SPI bus.

Common examples of secure elements are SIM cards, banking smart cards, TPMs in computers, etc.

## WHY IS THE TO136 SECURE ELEMENT SO SPECIAL?

The TO136 is Avnet Silica's exclusive secure element. It is manufactured on a hardware base supplied by OT-Morpho and is loaded with a firmware (defining its command set and features) developed by Trusted Objects and personalized with unique keys and IDs in a secure area at the heart of Avnet Logistics' European facility in Munich, Germany. The TO136 is the lowest-power secure element on the market: 2.8mA in active mode, 0µA in off mode and a start-up time under 500µs, orders of magnitude better than the competition, allowing it to be used in battery-powered applications without impacting energy consumption. Our production set-up is so flexible that it can be programmed to perform virtually any crypto function and personalized with the most complex key mapping. The TO136 HW is banking-grade EMVCo certified (Europay, Mastercard, Visa), which is equivalent to a Common Criteria CC EAL5+.

## WHAT IS LoRaWAN 1.0.2 SECURITY?

There are two layers of security in LoRaWAN 1.0.2:

- A network security layer
- An application security layer

The network security layer is used to authenticate uplink and downlink messages on the network, to ensure that only network-registered devices can use it.

The application security layer ensures end-to-end confidentiality, from sensor to application server, so that network servers cannot read the data they convey. Both network and application security layers use symmetric cryptography to respectively sign and encrypt messages with 128-bit symmetric keys:

- NtwSKey for network authentication
- AppSKey for end-to-end encryption


Both the NtwSKey and AppSKey are uniquely defined per sensor and need to be shared with the network server and the application server respectively. However, distributing the keys without exposing them is complex.

## WHAT ARE THE PROVISIONING OPTIONS?

The LoRaWAN 1.0.2 specification defines two provisioning schemes for onboarding a LoRaWAN sensor:

- ABP: activation by personalization
- OTAA: over-the-air activation

ABP is the simplest but most restrictive option. Both the NtwSKey and the AppSKey are issued and shared with one network operator for one application server provider at end-device manufacturing. This option best applies to network- and application-specific devices, but does not fit objects that need to be able to roam or operate on different networks.



LoRaWAN  
Network  
gateway



TLS

Network server

TLS

Application server

Application security

Network security

Using OTAA in conjunction with a third-party join server (JS) solves this problem. Via a join procedure with the JS sitting above the network operators, a device can attach to any network with a connection to the JS and any application server provider connecting to the JS. In this case, NtwSKey and AppSKey are derived by both the

JS and the end-device simultaneously, from a pre-shared symmetric root key. However, in both cases, ABP and OTAA, symmetric keys need to be shared between the device manufacturer and outside third parties. If manufacturing is outsourced, it adds even more complexity to the key ceremonies and processes.

## MANUFACTURING A NETWORK-SPECIFIC DEVICE

### WITHOUT A SECURE ELEMENT

The network operator, on which the device will operate, needs to issue a list of device addresses (DevAddr) to the OEM.

The OEM then generates NtwSKey and AppSKey and builds two lists:

- List 1: DevAddr + NtwSKey
- List 2: DevAddr + AppSKey

The OEM securely sends List 1 to the network operator, and List 2 to the application server provider for pre-provisioning of the devices.

Then, the OEM aggregates both lists and sends the resulting file to the EMS manufacturing the physical devices, asking it to personalize the production as per the file.

Once programmed, the OEM asks the EMS to destroy the keys.

### WITH THE TO136-LoRaWAN-ABP

The OEM orders TO136-LoRaWAN-ABP from Avnet Silica, referring the network operator and the application server provider.

The network operator issues a list of DevAddr to Avnet Silica.

Avnet Silica issues NwkSKey and AppSKey lists and personalizes secure elements accordingly.

Avnet Silica securely shares information to compute the NwkSKey list and AppSKey list with the network operator and the application server provider respectively.

Avnet Silica ships the batch of secure element to the EMS and destroys the key files.

## MANUFACTURING A GENERIC DEVICE

### WITHOUT A SECURE ELEMENT

The application server provider ordering devices from an OEM needs to issue a list of device unique identifiers (DevEUI) to the OEM, and also provides it with the application server identifier (AppEUI).

The OEM then generates a root key AppKey and builds a list: DevEUI + AppKey

The OEM securely sends the list to the application server provider for pre-provisioning of the devices.

The OEM securely sends the list to the EMS manufacturing the physical devices, asking to personalize the production as per the list.

Once programmed, the OEM asks the EMS to destroy the keys.

### WITH THE TO136-LoRaWAN-OTAA

The OEM orders TO136-LoRaWAN-OTAA from Avnet Silica and refers the application server provider to Avnet Silica.

The application server provider issues a list of device unique identifiers (DevEUI) to Avnet Silica, and also provides its application server identifier (AppEUI).

Avnet Silica issues a root key AppKey list and personalizes secure elements accordingly.

Avnet Silica securely shares information to compute the AppKey list with the application server provider.

Avnet Silica ships the batch of secure element to the EMS and destroys the key files.

## HOW CAN I ORDER?

Two secure elements are available depending on the personalization scheme retained:

- TO136-LoRaWAN-ABP
- TO136-LoRaWAN-OTAA

Upon ordering, the customer will be asked to provide

information regarding the workflow, as described above, so that Avnet Silica can smoothly manage the key ceremonies with the different parties involved.

Please contact your nearest Avnet Silica representative or email us at [security-solutions@avnet.eu](mailto:security-solutions@avnet.eu)

## Security partners

OT  MORPHO

TRUSTED  
OBJECTS

# Offices

## AUSTRIA

Vienna  
Phone: +43 186 642 300  
Fax: +43 186 642 350  
wien@avnet.eu

## BELGIUM

Merelbeke  
Phone: +32 9 210 24 70  
Fax: +32 9 210 24 87  
gent@avnet.eu

## CZECH REPUBLIC (SLOVAKIA)

Prague  
Phone: +420 234 091 031  
Fax: +420 234 091 030  
praha@avnet.eu

## DENMARK

Herlev  
Phone: +45 432 280 10  
Fax: +45 432 280 11  
herlev@avnet.eu

## ESTONIA

### (LATVIA, LITHUANIA)

Pärnu  
Phone: +372 56 637737  
paernu@avnet.eu

## FINLAND

Espoo  
Phone: +358 207 499 200  
Fax: +358 207 499 280  
helsinki@avnet.eu

## FRANCE (TUNISIA)

Cesson Sévigné  
Phone: +33 299 838 485  
Fax: +33 299 838 083  
rennes@avnet.eu

## Illkirch

Phone: +33 390 402 020  
Fax: +33 164 479 099  
strasbourg@avnet.eu

## Massy Cedex

Phone: +33 164 472 929  
Fax: +33 164 470 084  
paris@avnet.eu

## Toulouse

Phone: +33 05 62 47 47  
toulouse@avnet.eu

## Vénissieux Cedex

Phone: +33 478 771 360  
Fax: +33 478 771 399  
lyon@avnet.eu

## GERMANY

### Berlin

Phone: +49 30 214 882 0  
Fax: +49 30 214 882 33  
berlin@avnet.eu

### Braunschweig

Phone: +49 531 220 730  
Fax: +49 531 220 7335  
braunschweig@avnet.eu

### Freiburg

Phone: +49 761 881 941 0  
Fax: +49 761 881 944 0  
freiburg@avnet.eu

### Hamburg

Phone: +49 40 608 235 922  
Fax: +49 40 608 235 920  
hamburg@avnet.eu

### Herne

Phone: +49 2323 964 660  
Fax: +49 2323 964 666 0  
herne@avnet.eu

### Holzwickede

Phone: +49 2301 919 0  
Fax: +49 2301 919 222  
holzwickede@avnet.eu

### Leinfelden-Echterdingen

Phone: +49 711 782 600 1  
Fax: +49 711 782 602 00  
stuttgart@avnet.eu

### Leipzig

Phone: +49 34204 7056 00  
Fax: +49 34204 7056 11  
leipzig@avnet.eu

### Nürnberg

Phone: +49 911 24425 80  
Fax: +49 911 24425 85  
nuernberg@avnet.eu

### Poing

Phone: +49 8121 777 02  
Fax: +49 8121 777 531  
muenchen@avnet.eu

### Wiesbaden

Phone: +49 612 258 710  
Fax: +49 612 258 713 33  
wiesbaden@avnet.eu

## HUNGARY

### Budapest

Phone: +36 1 43 67215  
Fax: +36 1 43 67213  
budapest@avnet.eu

## ITALY

### Cusano Milanino

Phone: +39 02 660 921  
Fax: +39 02 660 923 33  
milano@avnet.eu

### Firenze

Phone: +39 055 436 039 2  
Fax: +39 055 431 035  
firenze@avnet.eu

### Modena

Phone: +39 059 348 933  
Fax: +39 059 344 993  
modena@avnet.eu

### Padova

Phone: +39 049 807 368 9  
Fax: +39 049 773 464  
padova@avnet.eu

### Rivoli

Phone: +39 011 204 437  
Fax: +39 011 242 869 9  
torino@avnet.eu

### Roma Tecnocittà

Phone: +39 06 413 115 1  
Fax: +39 06 413 116 1  
roma@avnet.eu

## NETHERLANDS

### Breda

Phone: +31 765 722 700  
Fax: +31 765 722 707  
breda@avnet.eu

## NORWAY

### Asker

Phone: +47 667 736 00  
Fax: +47 667 736 77  
asker@avnet.eu

## POLAND

### Gdansk

Phone: +48 58 307 81 51  
Fax: +48 58 307 81 50  
gdansk@avnet.eu

### Katowice

Phone: +48 32 259 50 10  
Fax: +48 32 259 50 11  
katowice@avnet.eu

### Warszawa

Phone: +48 22 565 760  
Fax: +48 22 565 766  
warszawa@avnet.eu

## PORTUGAL

### Vila Nova de Gaia

Phone: +35 1 223 779 502  
Fax: +35 1 223 779 503  
porto@avnet.eu

## ROMANIA (BULGARIA)

### Bucharest

Phone: +40 21 528 16 32  
Fax: +40 21 529 68 30  
bucuresti@avnet.eu

## RUSSIA (BELARUS, UKRAINE)

### Moscow

Phone: +7 495 737 36 70  
Fax: +7 495 737 36 71  
moscow@avnet.eu

### Saint Petersburg

Phone: +7 812 635 81 11  
Fax: +7 812 635 81 12  
stpetersburg@avnet.eu

## SLOVENIA

### (BOSNIA AND HERZEGOVINA, CROATIA, MACEDONIA, MONTENEGRO, SERBIA)

### Ljubljana

Phone: +386 156 097 50  
Fax: +386 156 098 78  
ljubljana@avnet.eu

## SPAIN

### Barcelona

Phone: +34 933 278 530  
Fax: +34 934 250 544  
barcelona@avnet.eu

### Galdàcano. Vizcaya

Phone: +34 944 572 777  
Fax: +34 944 568 855  
bilbao@avnet.eu

### Las Matas

Phone: +34 913 727 100  
Fax: +34 916 369 788  
madrid@avnet.eu

## SWEDEN

### Sundbyberg

Phone: +46 8 587 461 00  
Fax: +46 8 587 461 01  
stockholm@avnet.eu

## SWITZERLAND

### Rothrist

Phone: +41 62 919 555 5  
Fax: +41 62 919 550 0  
rothrist@avnet.eu

## TURKEY (GREECE, EGYPT)

### Kadikoy Istanbul

Phone: +90 216 528 834 0  
Fax: +90 216 528 834 4  
istanbul@avnet.eu

## UNITED KINGDOM (IRELAND)

### Berkshire

Phone: +44 1628 512 900  
Fax: +44 1628 512 999  
maidenhead@avnet.eu

### Bolton

Phone: +44 1204 547 170  
Fax: +44 1204 547 171  
bolton@avnet.eu

### Bucks. Aylesbury

Phone: +44 1296 678 920  
Fax: +44 1296 678 939  
aylesbury@avnet.eu

### Stevenage, Herts, Meadway

Phone: +44 1438 788 310  
Fax: +44 1438 788 250  
stevenage@avnet.eu

## ISRAEL

### Tel-Mond

Phone: +972 (0)9 7780280  
Fax: +972 (0)3 760 1115  
avnet.israel@avnet.com

## SOUTH AFRICA

### Cape Town

Phone: +27 (0)21 689 4141  
Fax: +27 (0)21 686 4709  
sales@avnet.co.za

### Durban

Phone: +27 (0)31 266 8104  
Fax: +27 (0)31 266 1891  
sales@avnet.co.za

### Johannesburg

Phone: +27 (0)11 319 8600  
Fax: +27 (0)11 319 8650  
sales@avnet.co.za



**Mixed Sources**  
Product group from well-managed  
forests and other controlled sources  
www.fsc.org Cert no. IC-COC-10005  
© 1996 Forest Stewardship Council

All trademarks and logos are the property of their respective owners. This document provides a brief overview only, no binding offers are intended. No guarantee as to the accuracy or completeness of any information. All information is subject to change, modifications and amendments without notice.