

OMRON

AVNET[®] ABACUS



Omron sensors

Omron - sensing tomorrow

It is almost impossible to imagine a modern world without sensors. These high-performing devices keep homes, workplaces and healthcare facilities working smoothly and safely. They are essential components in smartphones, cars and entertainment equipment. Thanks to them, we enjoy higher standards of energy-efficiency, security, comfort and convenience in our daily lives.

Omron has always been a pioneer in sensing technology; its MEMS-based components are the result of long experience and proven technical know-how. As a world leader in face recognition technology, Omron is opening up an exciting new world in which human-machine interaction is more intelligent and intuitive than ever before. Its innovations are at the forefront of the ongoing digital revolution, contributing to better environmental control and greater efficiency in office automation, industrial equipment and home appliances.

Dedicated technical support from Avnet Abacus

Avnet Abacus brings you the latest technologies from Omron, coupled with the technical knowledge and in-depth engineering expertise to support you in your design. We can offer you advice on product selection, sampling and availability to help you get your application to market quickly and effectively. Contact our dedicated team of product specialists in your local language at www.avnet-abacus.eu/ask-an-expert

FURTHER INFORMATION

To find more about Omron's products, visit avnet-abacus.eu/omron



The background of the page is a collage of three images. On the left, a close-up of a speedometer showing '0.0 KM/H' and 'st 34'. In the center, a hand is shown interacting with a control panel of a device, possibly a copier or printer, with various buttons and a small screen. On the right, a data visualization or stock market chart with white and red lines on a dark blue background.

Content


Human Vision Components	4
MEMS flow sensors (D6F)	6
Pressure sensors	8
Photomicrosensors	10
Light convergent reflective sensors	13
Thermal sensor	14
Dust sensor	15
Environment sensor	16
Tilt/Vibration sensors	17
Product overview	18

Human vision components - innovation for a new era

In 2004, Omron introduced the world's first face recognition technology for mobile phones. Since then, the company has continued to lead the way in sensing and control innovations that break down boundaries between humans and machines. Thanks to such technologies, we are entering an era in which machines adapt their behaviour to humans, rather than the other way around.

Omron's Human Vision Components (HVC) feature OKAO, the proprietary software for which success has been proven repeatedly in a wide range of equipment, including cameras, mobile phones, surveillance robots and many home appliances. Ten different sensing technologies are applied: body, face and hand detection; face direction, gaze, blink, age, gender and expression estimation, and face recognition, and the image sensing technology is built on data from more than a million faces.





*B5T-001007-010 detects targets
at a relatively long distance.*



*B5T-001007-020 detects targets
at a relatively short distance over
a wide angle;*



HVC-P2 – a vision of the future

Omron's next-generation HVC-P2 module is the result of its renowned excellence in Image Sensing Technology and Optical Design. Compared to previous versions, it is smaller and offers higher image resolution, better detection distance and up to ten times faster processing. IoT ready, it enables information sharing between different HVC modules via the cloud.

With image sensing technology built on data from more than a million faces, the HVC-P2 offers higher image resolution, better detection distance and up to ten times faster processing. It applies ten different sensing technologies: body, face and hand detection; face direction, gaze, blink, age, gender and expression estimation, and face recognition.


Where is it used?

HVC-P2 modules are used in vending and ticketing machines, retail outlets and digital signage. They enable collection and analysis of customer data, such as age, gender, expression and even level of interest in a particular product, so that marketing can be more accurately targeted.


Many amusement machines are already controlled using gestures. This module can transform their performance, functioning as 'robot eyes' that help the machine to identify and communicate with players. It can also be used in nursing homes and other facilities to monitor the movement of patients or detect intruders. By enabling personalised control over specific devices such as office equipment and automatic doors, it contributes to better security.

MEMS flow sensors - setting new standards in accuracy

Omron was the first sensor manufacturer to apply thermopile technology to measure flow rate. This technology, which is at the core of our D6F MEMS flow sensors, achieves a vast range of measurement, from the flutter of a butterfly's wing to the blast of a typhoon. When it was introduced, it delivered several unprecedented advantages, including low-cost operation, low power consumption and high sensitivity.



*Thermopile technology: the heart of
Omron's MEMS flow sensor*



The D6F MEMS sensor chip features two sets of thermopiles located on either side of a tiny heater element. They measure the deviations in heat symmetry caused by gas flowing in either direction. A thin layer of insulating film protects the sensor chip from exposure to the gas.

The sensor's tiny size (1.5 mm x 1.5 mm x 0.4 mm) makes it easy to install in any system. It is highly reliable, giving stable results even when exposed to wind turbulence, pressure drop, pulsation and temperature variations.

Digital flow sensors: precision through compensation

Omron's digital flow sensors are developed for differential pressure measurement with extremely high accuracy and repeatability. They use temperature compensation to ensure stable measurement over a wide temperature range (-20°C to 80°C). Sensing is bi-directional and output is via ASIC algorithms and a digital I2C interface. Their high flow impedance reduces the influence of bypass configuration, and the flow path is designed to allow a compact size. They can be provided with a range of additional functions, including temperature measurement, failure detection and sensor address setting.

Where are they used?

Digital flow sensors are designed for applications where stability and high precision are essential requirements. These include industrial machines like air compressors and HVAC systems, where they are used for variable air valve control, heat recovery systems, clogged filter monitoring and air pressure control. They are also used in fuel cells, where fuel (natural gas) and air quantities must be accurately measured for optimal efficiency and system durability.

Dust Segregation System

Omron's D6F air velocity sensors feature a patented Dust Segregation System that separates up to 99.5% of dry airborne particles. Its unique design ensures long-term accuracy and repeatability, regardless of any contamination in the sensed air. This feature is extremely valuable for air conditioning systems, air purifiers, dehumidifiers and fan assisted heaters. Dust filtering is also essential for trouble-free performance of many electronic devices, including PCs, LCD projectors, AV equipment and cooling solutions for server racks.

*D6F-10A7D: temperature
compensation and linear
compensation deliver high
accuracy (approximately
3% RD / 25-100% FS).*

*D6F-V: patented Dust Segregation
System ensures long-term
accuracy and repeatability,
even in contaminated air.*

Pressure sensors - precision in any environment

From wearables used in the highest altitudes to everyday essentials like your smartphone or tablet, pressure sensors have found their way into almost every area of life. These little devices are equipped with a pressure-sensitive element that measures the pressure of a gas or liquid against a diaphragm and outputs the measured value as an electrical signal. Pressure measurements can be used to confirm suction, verify mounting, manage source pressures and test for leaks.

Omron produces a wide range of pressure sensors for different measurement targets. Our MEMS pressure sensors are also found in car HVAC systems, airbags and tyre pressure monitors, and have numerous applications in metering and hydraulic systems.



Absolute Pressure Sensor

This world-leading sensor measures absolute pressure and temperature and atmospheric pressure with the highest precision. It can be used as an altimeter in position detection, making it ideal for weather stations, barometers, water depth indicators, GPS navigation and sports monitoring equipment. Its tiny size makes it perfect for wearable devices. It is also used in escalators, portable games, smartphones and tablets.



2SMPB Absolute Pressure Sensor

Miniature monitoring

Measuring only 6.1 mm × 4.7 mm × 8.2 mm, Omron's tiny 2SMPP pressure sensor combines low temperature influence, small offset and span voltage variation and low power consumption. As it accurately controls air movement, leaks and levels, the 2SMPP is also widely used in industrial and environmental control systems.



2SMPP super miniature high accuracy sensor

Photomicrosensors – reliable and easy to install

Omron was the first company in the world to release proximity sensors in 1960 and has been a pioneer in photomicrosensor (PMS) development since 1975. The photomicrosensors are manufactured in its own high-end production facility by skilled specialists in optical technology. Developed for demanding applications that exceed the physical limitations of basic electromechanical switches, they offer high speed, high frequency, an almost infinite product lifespan and non-contact operation.

Where are they used?

Omron PMS products have many uses throughout the energy, consumer, entertainment and industrial sectors. They are found in mini printers that issue public transport tickets and in cash counting mechanisms for bill counters and money changers. In 3D printers, they detect movement and enable filament feeding and speed measurement. They are used to detect the piston position in water pumps, rotating disc speeds in gas and water meters and in healthcare devices such as dialysers. You can also find these little sensors in security and video conferencing cameras and in industrial sewing machines.





How do photomicrosensors work?

Photomicrosensors use LED beams to detect the presence, absence, speed or direction of an object. They do this by sensing a change in the state of detected light.

Transmissive / Slotted / Photointerrupter types

These have a long sensing distance and detection is not influenced by the surface texture or colour of the object to be detected. They have limited success in detecting transparent objects (e.g. OHP paper or glass) and sensing is restricted by the size of the object and the width of the slot.




Micro displacement types

Micro displacement sensors like the Omron Z4D have an integrated position sensing device that enables them to detect minute changes in the position of a target object.

Reflective types

These have a short sensing distance and detection is influenced by the surface texture and reflective colour of the object. They are better at detecting smooth objects such as white paper and sensing is not limited by the object's size.



Omron SMD photomicrosensors

Omron's new SMD photomicrosensors reduce assembly time by eliminating a separate soldering step. Instead, the SMD can be mounted by reflow soldering with other components. As the terminal is not needed, there is no need to allow space for circuit and installation parts. This can reduce the volume by 65% compared to terminal type products. PIC output makes circuit design easy and enables output with high-speed reply.

The tiny size of this PMS makes it ideal in devices where space is limited, like label printers and sewing machines. It is also used in smart meters, slot machines, rice cookers and coffee-makers.



The EE-SX1350 PMS measures only 8.8mm x 4mm x 9mm.

Omron prewired photomicrosensors

Prewired photomicrosensors reduce the total cost of production by making wiring easier. A wide variety of prewired products is available to fit many different sensing distance, output configuration and aperture design requirements. For example, the EE-SX1096 series is designed to fit horizontal apertures, while the EE-SX1161 series is dustproof.

EE-SX prewired sensors are used in office photocopiers and printers. They are also found in amusement and gaming machines, massage chairs, security cameras, air cleaners, vending machines and ATMs.



EE-SX prewired photomicrosensors offer flexibility and reliability.

Omron connector-type photomicrosensors

Omron's connector-type PMS eliminates the need to design a PC board. As there is only one part, costs and assembly time are reduced. Quality is higher with no risk of malfunction due to soldering failure, and maintenance is easier as the PMS can be easily changed after wiring. Omron's original connector system ensures high connection reliability.



The EE-SX3162-P1 PMS offers high quality at a reduced cost

Light convergent reflective sensors - pushing the limits of detection

Omron's B5W reflective sensors use advanced optical simulation technology to combine the functions of a cylindrical and a non-spherical lens. They can detect various colours and patterns in the detection area, including specular and diffuse reflecting objects, and only receive reflected light from a limited area. When used in office equipment like photocopiers, this means that they can detect black paper or clear film. It eliminates the problem of accidental background detection which can occur with general-purpose reflective sensors. Light convergent reflective sensors are also used in drinks vending machines, where they can detect black, white and even transparent cups.



*B5W-LA01 Light Convergent
Reflective Sensor: advanced optical
design technology*




B5W-LA01: cleaning up robot vacuum performance

Our B5W-LA01 light convergent reflective sensor was originally developed for use in robot vacuum cleaners. It delivers a number of benefits for customers. As the error range between black and white is extremely small, it can be used to clean black carpets and accurately detects 'cliffs' such as steps and bumps. It resists sunlight disturbance and can work near windows and glass doors.

Thermal sensor - heat and people detection for smart energy control

From individual consumers to manufacturing companies and governments, everyone recognises the importance of reducing energy wastage and cutting costs. Simply by detecting body heat, Omron's D6T heat-detecting sensor is making a huge contribution to energy-saving efforts. This super-sensitive infrared D6T temperature sensor can detect human presence in a room, even if the person isn't moving. That information can be used in homes and offices to switch lights, heating and air conditioning on and off as needed. The sensor can also be used to count people, helping to optimise control in smart energy systems and offering reliable intruder detection. The D6T is available in three main configurations: 1x1, 1x8 and 4x4 array.



Industrial productivity and safety are also enhanced by thermal sensing. By instantly detecting any unusual changes, the D6T can help to prevent factory line stoppages and overheating.




The D6T miniature non-contact sensor is created entirely from Omron's own ASICs and MEMS technology along with other application-specific parts to ensure high sensitivity. It measures temperature by receiving energy radiated from target objects on thermopile elements.

Air quality sensor – high sensitivity for air cleaners

Air pollution from vehicle emissions, cigarettes and industrial sources is a major concern for environmental and public health. City authorities, building managers and consumers need dependable, high-performance air quality sensors for pollutant detection and control. Omron's air quality sensor module is four times as sensitive as other LED air quality sensors on the market, and can detect particles as small as half a micron (up to 0.5 μm diameter). This far surpasses the PM2.5 standard for fine particulate matter specified by European Union regulations. The module's air throughput is around six times higher than that of popular alternatives, making it much more responsive to changes in the environment.

The sensor's superior sensitivity and performance enable tighter pollution control and help manufacturers to create more effective air purifiers and air quality control systems.

Measuring just 50mm x 45mm x 20mm, the Omron air quality sensor B5W-LD0101 is more than 20% smaller than most alternative solutions.



Environment sensor – enhancing comfort and safety

The ability to easily monitor conditions in our surrounding environment can greatly increase our comfort and quality of life. For example, we can use information about changes in the weather to plan activities, prevent heat attacks or create a comfortable sleeping environment.

Omron's environment sensor provides reliable tracking of seven environmental factors: temperature, light, UV Index, humidity, barometric pressure, noise and acceleration. This information can be uploaded to a smartphone app using the Bluetooth low energy interface, recorded and used to create status updates and alerts. The module features a sensor beacon for easy use and has an embedded memory for secure data logging.



Temperature



Humidity



UVI



Pressure



Light



Noise

Where is it used?

The environment sensor has many applications in remote care provision, including room condition monitoring for infants, elderly people and pets. It can also be used to create more comfortable and healthy home and work environments.

The Omron 2JCIE environment sensor device is compact, accurate and easy to use.

The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by OMRON corporation is under license.

Tilt and vibration sensors - enabling better disaster support


Seismic intensity data is vital in areas affected by earthquakes. It can be used for accurate mapping of risk levels and damage in order to plan disaster support efficiently, save more lives and restore vital services as quickly as possible. It can also be used to optimise asset evaluation and provide accurate land and insurance prices by area or property.

How are seismic sensors used?

Tilt and vibration sensors can be installed in smart electricity meters to facilitate shut-down in the event of an emergency, thus preventing electrical fires. Similarly, in smart gas meters they can activate shut-down to prevent gas leaks and explosions. The data they collect can be shared throughout a Seismic Index (SI) network to aid understanding of disaster situations and help determine when evacuation is necessary for safety.



The Omron sensor line-up



HVC

- Digital signage
- Market research
- Vending machines
- Smart appliances
- Building automation
- Security
- Register / pos
- Communication robots
- Industrial equipment
- Energy saving
- Amusement





PMS

IP camera

Factory automation (sewing machine)

Building automation

Vending machines

Ticket machines

Garage doors

Atm

Coin mechanisms

Cash counter

Amusement and entertainment

Gaming machines

Slot machines

Crane games

Joysticks

card machines

Industrial automation

Automation system

Drives control

Non-contact switch

Energy

Water meters

Electricity meter

Gas meters

Cash counter

Wind power generator

Fuel cells

Home appliance / consumer

Hvac

Household tools

Home appliances

Sewing machine

Endless control button

Digital image

Printers, copiers, scanners

Post machines

Ticket machines

Plotters

Mouse

Digital cameras



D6F

- Combustion control
- Fuel cell
- Water heater
- Boiler
- Electronics
- Projector
- PC, server
- Other AV electronics
- Ventilation
- HVAC
- VAV controller
- Air cleaner
- Clogging detection
- Air conditioners
- Ducts



D6T

- Security systems
- Building automation
- Energy management
- Human detection



D7S

- Earthquake detection
- Preventing secondary damage
- Determining damage
- Disaster map creation
- Prevention



B5W-LD

- Robot cleaner
- Coffee machine
- Vending machine



Environment sensor

- Building automation
- Room monitoring
- Office environment monitoring
- Weather change alert





Tilt sensor

- Vending machines
- Cash machines
- Alarm systems
- Fork lifts
- Cranes, material handling equipment
- Standalone oil heaters



Pressure sensor

- Altitude
- Water depth
- Atmosphere
- Building automation
- Smartphone/Tablet
- Pedometer
- Drone
- Watch/Wearable indoor navigation

Offices

AUSTRIA

Schönbrunner Str. 297-307
A-1120 Vienna
Phone: +43 1 86642 0
Fax: +43 1 86642 250
wien@avnet-abacus.eu

BELARUS

c/o Avnet Abacus Russia
Office 26, Building 2
10 Korovinskoye Shosse,
127486 Moscow
Phone: +7 (495) 737 3689
Fax: +7 (495) 737 3686
belarus@avnet-abacus.eu

BELGIUM

De Kleetlaan 3
1831 Diegem
Phone: +32 2 227 2000
diegem@avnet-abacus.eu

BULGARIA

c/o Avnet Abacus Austria
Schönbrunner Str. 297-307
A-1120 Vienna
Phone: +43 1 86642 0
Fax: +43 1 86642 250
bulgaria@avnet-abacus.eu

CROATIA

c/o Avnet Abacus Slovenia
Dunajska Cesta 167
1000 Ljubljana
Phone: +386 (0)1 560 97 54
Fax: +386 (0)1 560 98 78
croatia@avnet-abacus.eu

CZECH REPUBLIC

c/o Avnet Abacus Austria
Schönbrunner Str. 297-307
A-1120 Vienna
Phone: +43 1 86642-0
Fax: +43 1 86642 250
praha@avnet-abacus.eu

DENMARK

Knudlundvej 24
DK-8653 Them
Phone: +45 86 84 84 84
Fax: +45 86 84 82 44
them@avnet-abacus.eu

Lyskær 9, DK-2730 Herlev
Phone: +45 86 84 84 84
Fax: +45 43 29 37 00
herlev@avnet-abacus.eu

EGYPT

Canan Residence
Hendem Cad.
No:54 Ofis A2
Serifali Umraniye Istanbul
TR - 34775 Turkiye
Phone: +90 216 52 88 370
Fax: +90 216 52 88 377
egypt@avnet-abacus.eu

ESTONIA

Aida 5,
EE-80011 Pärnu
Phone: +372 56637737
paernu@avnet-abacus.eu

FINLAND

Pihatörmä 1 B
FI-02240 Espoo
Phone: +358 (0) 207 499 220
Fax: +358 (0) 207 499 240
espoo@avnet-abacus.eu

FRANCE

Immeuble Carnot Plaza
14 Avenue Carnot
91349 Massy Cedex, Paris
Phone: +33 (0) 1 6447 2929
Fax: +33 (0) 1 6447 9150
paris@avnet-abacus.eu

8 chemin de la Terrasse
Bat D 1er étage
31500 Toulouse
Phone: +33 (0) 5 6247 4787
Fax: +33 (0) 5 6247 4761
toulouse@avnet-abacus.eu

35 avenue des Peupliers
Les Peupliers2
35510 Cesson
Phone: +33 (0) 2 9983 7720
Fax: +33 (0) 2 9983 4829
rennes@avnet-abacus.eu

Parc Club du Moulin à Vent
Bât 10, 33 rue du Dr. G Lévy
F-69693 Vénissieux Cedex,
Lyon
Phone: +33 (0) 4 7877 1370
Fax: +33 (0) 4 7877 1391
lyon@avnet-abacus.eu

GERMANY

Englische Str. 27
D - 10587 Berlin
Phone: +49 (0) 30 790 997 0
Fax: +49 (0) 30 790 997 51
berlin@avnet-abacus.eu

Industriestr. 26
D-76297 Stutensee
Phone: +49 (0)7249 910 149
Fax: +49 (0)7249 910 177
stutensee@avnet-abacus.eu

Wilhelmstr. 1, D-59439
Holzwickede / Dortmund
Phone: +49 (0) 2301 2959 27
Fax: +49 (0) 2301 2959 29
dortmund@avnet-abacus.eu

Oehleckerring 9a - 13
22419 Hamburg
Phone: +49 (0) 40 608 23 59 0
Fax: +49 (0) 40 608 23 59 20
hamburg@avnet-abacus.eu

Gruber Str. 60c-60d
D-85586 Poing / Munich
Phone: +49 (0) 8121 777 03
Fax: +49 (0) 8121 777 531
muenchen@avnet-abacus.eu

Lina-Ammon-Str. 19 b
D-90471 Nürnberg
Phone: +49 (0) 911 244 250
Fax: +49 (0) 911 244 25 25
nuernberg@avnet-abacus.eu

Gutenbergstr. 15
D-70771 Leinfelden-
Echterdingen / Stuttgart
Phone: +49 (0) 711 78260 02
Fax: +49 (0) 711 78260 333
stuttgart@avnet-abacus.eu

Gaußstraße 10
D-31275 Lehrte
Phone: +49 (0) 5132 5099 0
Fax: +49 (0) 5132 5099 76
lehrte@avnet-abacus.eu

GREECE

c/o Abacus Avnet Austria
Schönbrunner Str. 297-307
A-1120 Vienna
Phone: +43 1 86642-0
Fax: +43 1 86642 250
greece@avnet-abacus.eu

HUNGARY

c/o Avnet Abacus Austria
Schönbrunner Str. 297-307
A-1120 Vienna
Phone: +43 1 86642-0
Fax: +43 1 86642 250
budapest@avnet-abacus.eu

IRELAND

c/o Avnet Abacus Bolton
Oceanic Building
Waters Meeting Road
Bolton BL1 8SW
Phone: +44 (0)1204 547170
Fax: +44 (0)1204 547171
bolton@avnet.eu

ISRAEL

Avnet Components Israel Ltd.
P.O. Box 48 Tel-Mond, 4065001
Phone: 972-9-7780280
Fax: 972-3-760-1115
avnet.israel@avnet.com

ITALY

Via Manzoni 44
I-20095 Cusano Milanino
(Milano)
Phone: +39 02 660 921
Fax: +39 02 66092 332
milano@avnet-abacus.eu

Viale dell'industria 23
I-35129 Padova
Phone: +39 049 7800 381
Fax: +39 049 7730 36
padova@avnet-abacus.eu

Via Zoe Fontana 220
I-00131 Roma
Phone: +39 06 4123 1952
Fax: +39 06 4192 618
roma@avnet-abacus.eu

Via Scaglia Est, 31/33
41126 Modena
Phone: +39 059 34891
Fax: +39 059 344993
modena@avnet-abacus.eu

Via Panciatichi 40/11
I-50127 Firenze
Phone: +39 055 436 1928
Fax: +39 055 428 8810
firenze@avnet-abacus.eu

LATVIA

c/o Avnet Abacus Poland
Plac Solny 16
PL-50-062 Wroclaw
Phone: +48 71 34 205 99
Fax: +48 71 34 229 10
latvia@avnet-abacus.eu

LITHUANIA

c/o Avnet Abacus Poland
Plac Solny 16
PL-50-062 Wroclaw
Phone: +48 71 34 205 99
Fax: +48 71 34 229 10
lithuania@avnet-abacus.eu

NETHERLANDS

Stadionstraat 2, 6th fl.
NL-4815 NG Breda
Phone: +31 (0) 76 57 22 300
Fax: +31 (0) 76 57 22 303
breda@avnet-abacus.eu

NORWAY

Ryensvingen 3 B
N-0680 Oslo
Phone: +47 (0) 22 70 76 60
Fax: +47 (0) 22 70 76 61
oslo@avnet-abacus.eu

POLAND

Plac Solny 16
PL-50-062 Wroclaw
Phone: +48 71 34 205 99
Fax: +48 71 34 229 10
wroclaw@avnet-abacus.eu

PORTUGAL

Tower Plaza, Rot. Eng. Edgar
Cardoso, 23, Pl. 14, Sala E
PT-4400-676 Vila Nova
de Gaia
Phone: +351 223 779502
Fax: +351 223 779503
portugal@avnet-abacus.eu

ROMANIA

c/o Avnet Abacus Slovenia
Dunajska Cesta 159
1000 Ljubljana
Phone: +386 (0)1 560 97 54
Fax: +386 (0)1 560 98 78
romania@avnet-abacus.eu

RUSSIA

Office 31, Building 2
10 Korovinskoye Shosse
127486 Moscow
Phone: +7 (495) 737 3689
Fax: +7 (495) 737 3686
moscow@avnet-abacus.eu

SERBIA

c/o Avnet Abacus Slovenia
Dunajska Cesta 167
1000 Ljubljana
Phone: +386 (0)1 560 97 54
Fax: +386 (0)1 560 98 78
serbia@avnet-abacus.eu

SLOVAKIA

c/o Avnet Abacus Austria
Schönbrunner Str. 297-307
A-1120 Vienna
Phone: +43 1 86642-0
Fax: +43 1 86642 250
slovakia@avnet-abacus.eu

SLOVENIA

Dunajska Cesta 167
1000 Ljubljana
Phone: +386 (0)1 560 97 54
Fax: +386 (0)1 560 98 78
ljubljana@avnet-abacus.eu

SOUTH AFRICA

Ground Floor, Forrest House
Belmont Office Park
Belmont Road, Rondebosch
7700, Cape Town
Phone: +27 (0) 21 689 4141
Fax: +27 (0) 21 686 4709
sales@avnet.co.za

202 Chelmsford, 2nd Floor
Nelson Road, Essex Gardens,
Westville, 3629, Durban
Phone: +27 (0) 31 266 8104
Fax: +27 (0) 31 266 1891
sales@avnet.co.za

Block 3, Pinewood Office Park
33 Riley Road
Woodmead, 2191
Sandton, Johannesburg
Phone: +27 (0) 11 319 8600
Fax: +27 (0) 11 319 8650
sales@avnet.co.za

SPAIN

NyN Tower, C/ Tarragona,
151-157, Floor 19
ES-08014 Barcelona
Phone: +34 (0) 93 327 85 50
Fax: +34 (0) 93 425 05 44
barcelona@avnet-abacus.eu

Plaza Zabalgane
12 Bajo Izda,
Galdakao / Vizcaya
ES -48960 Bilbao
Phone: +34 (0) 94 457 0044
Fax: +34 (0) 94 456 8855
bilbao@avnet-abacus.eu

C/Chile, 10 2ª Pta.
Oficina 229
ES -28290 Las Matas / Madrid
Phone: +34 (0) 913 72 7200
Fax: +34 (0) 916 36 9788
madrid@avnet-abacus.eu

SWEDEN

Löfströms Allé 5,
Sundbyberg, Box 1830,
SE-171 27 Solna
Phone: +46 (0) 858 746200
Fax: +46 (0) 858 746 001
stockholm@avnet-abacus.eu

Smörhålevägen 3
SE-43442 Kungsbacka
Phone: +46 (0)8 58746 200
Fax: +46 (0)300 140 15
gothenburg@avnet-abacus.eu

SWITZERLAND

Bernstrasse 392
CH-8953 Dietikon
Phone: +41 (0) 43 322 49 90
Fax: +41 (0) 43 322 49 99
zurich@avnet-abacus.eu

TURKEY

Tatlısu Mahallesi,
Pakdil Sokak
No:5 B Blok Kat 2
34774 Umraniye
Istanbul Turbine
Phone: +90 216 52 88 370
Fax: +90 216 52 88 377
istanbul@avnet-abacus.eu

UK

First Floor, The Gatehouse
Gatehouse Road
Aylesbury, Bucks
HP19 8DB
Phone: +44 (0) 1296 678920
Fax: +44 (0) 1296 678939
aylesbury@avnet.eu

Building 5
Waltham Park
White Waltham
Maidenhead
Berkshire SL6 3TN
Phone: +44 (0)1628 512900
Fax: +44 (0)1628 512999
maidenhead@avnet.eu

Avnet House
Rutherford Close
Meadway,
Stevenage
Hertfordshire SG1 2EF
Phone: +44 (0)1438 788 500
Fax: +44 (0)1438 788 250
stevenage@avnet.eu

Oceanic Building
Waters Meeting Road
Bolton
BL1 8SW
Phone: +44 (0)1204 547170
Fax: +44 (0)1204 547171
bolton@avnet.eu

UKRAINE

c/o Avnet Abacus Poland
Plac Solny 16
PL-50-062 Wroclaw
Phone: +48 71 34 205 99
Fax: +48 71 34 229 10
ukraine@avnet-abacus.eu

All trademarks and logos are the property of their respective owners. This document provides a brief overview only, no binding offers are intended. No guarantee as to the accuracy or completeness of any information. All information is subject to change, modifications and amendments without notice. Printed on FSC certified paper.